

ALL HEEL BLOCKS, UNLESS OTHERWISE SPECIFIED, ARE TO BE MADE IN GENERAL WITH LATEST REVISION OF A.S.T.M. SPECIFICATION FOR: MALLEABLE IRON A47, GRADE 32510 OR DUCTILE IRON A536, GRADE 65-45-12

- 3. DIMENSIONS ARE FOR FINISHED BLOCKS. PROPER ALLOWANCE MUST BE MADE FOR SHRINKAGE WHEN MAKING PATTERNS.
- 4. 1/2" MINIMUM IDENTIFICATION CHARACTERS, RAISED 1/32", TO BE CAST ON THE BLOCK.
- 5. ALL SHARP EDGES TO BE ROUNDED TO 1/8"R
- 6. HOLES TO BE CORED OR DRILLED, THE USE OF ACETYLENE TORCH OR OTHER BURNING METHOD FOR THE MAKING OF HOLES OR CUTTING IN THE MANUFACTURE OF HEEL BLOCKS IS ABSOLUTELY PROHIBITED.
- 7. ALL TOLERANCES TO BE  $\pm 1/32$ " (NON-CUMULATIVE).

