


1 TYPICAL SHELTER JUNCTION BOX PLAN

RBS-1B-004 SCALE: N.T.S.



2 SECTION A

RBS-1B-004 SCALE: N.T.S.

3 SECTION B




RBS-1B-004 SCALE: N.T.S.

REFERENCE DRAWINGS		ISSUE		REVISIONS	
				6	FEB 2015
				5	JUNE 2014
				4	APRIL 2014
				3	SEPT 2013
				2	AUG 2013
				1	JULY 2012
DWG. NO.	TITLE	REV.	DATE	ISSUED FOR	REV.

DRAWN BY: G.R.	DESIGNED BY: GO TRANSIT
CHECKED BY: D.S.P.	APPROVED BY:

SCALE: NONE FULL SIZE ONLY

- NOTE:
- REMOVABLE STAINLESS STEEL COVER TO BE EMBOSSED OR ENGRAVED "POWER WIRING" OR "LOW VOLTAGE WIRING".
 - USE IN CONNECTION WITH SHELTER TYPES 1"A" & 1"B".
 - USE "500 SERIES" PUSH BUTTON WITH STAINLESS STEEL REMOTE PLATE AS OR BESAM. MOUNT IN DOOR FRAME AS SHOWN.



4 DOOR STOP AND HOLDER DETAIL

RBS-1A-004 SCALE: N.T.S.


NOTE:

THIS DRAWING IS PROVIDED FOR INSTRUCTIONAL DESIGN PURPOSES ONLY. IT IS NOT TO BE USED FOR CONSTRUCTION. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CONSULTANT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS.

METRIC

ALL DIMENSIONS SHOWN ARE IN METRES AND/OR MILLIMETRES UNLESS OTHERWISE NOTED.

METROLINX PROJECT NO.



NEW SHELTERS
PEAKED ROOF SHELTER
DETAILS

A Division of Metrolinx

CONTRACT NO.	DWG. NO.	REV.	SHEET
	RBS-1B-004	6	