

CONTENTS

- Contents ii
- Table of Figures viii
- Table of Tables viiv
- Table of Acronyms xix
- A Introduction A-0**
- B Guiding Principles B-0B-3**
 - B.1 Universal Access B-0B-3
 - B.2 Customer Service B-1B-4
 - B.3 Sustainable Design B-1B-4
 - B.4 Integrated Design B-1B-4
- C Wayfinding and Signage C-0C-6**
 - C.1 Wayfinding C-2C-8
 - C.2 Signage C-2C-8
 - C.3 Placement and Installation C-3C-9
- D Site Program D-0**
 - D.1 Site Planning and Organization D-1
 - D.2 Rail Platform and Platform Access D-2
 - D.3 Bus Loops D-11
 - D.4 Kiss & Ride D-14
 - D.5 Pedestrian Connections D-14
 - D.6 Vehicular Access & Accommodations D-14
 - D.7 "Green Zone" D-19
 - D.8 Pavement and Line Markings D-20
 - D.9 Park and Ride Lots D-23
 - D.10 At Grade Pedestrian Crossings D-24
 - D.11 Landscaping & Civil Works D-26
 - D.12 Station Geographical Coordinates D-31D-30
- E Building Program E-0**
 - E.1 Station Buildings E-1
 - E.2 Bus Terminals E-10
 - E.3 Operational Facilities E-11
- F Technical Requirements F-0F-35**
 - F.1 Electrical F-0F-35
 - F.2 Communication F-57F-92
 - F.3 Mechanical F-74F-109
 - F.4 Fixtures and Furnishings F-83F-118
 - F.5 Finishes and Materials F-94F-129
 - F.7 Schedules F-103F-138
- G Heavy Rail G-0**
- H Information technology; Telecommunication & Systems H-0G-1**
- Appendix A–Amendment Record 0G-0**
- Appendix B–LEED Mandatory Credits 0G-0**

TABLE OF FIGURES

Figure A-1: Document Overview	A-0
Figure C-1: Communication Hierarchy Zones.....	C-0 C-6
Figure C-2: Property Entrances-Ideal State.....	C-1 C-7
Figure C-3: Parking-Ideal State	C-1 C-7
Figure D-1: Site Components.....	D-0
Figure D-2: Diagram–Station Site Components.....	D-1
Figure D-3: Typical Configuration of Mini Platforms	D-3
Figure D-4: Typical Orientation of Locomotive end to locate Mini Platforms.....	D-3
Figure D-5: Typical Rail Platform Configuration.....	D-5
Figure D-6: Typical Rail Platform Elevation	D-5
Figure D-7: Section A.....	D-5
Figure D-8: Section B.....	D-5
Figure D-9: Pedestrian Tunnels Design Elements.....	D-7
Figure D-10: A. Linear Bus Loop Configuration Linear Traffic Flow	D-11 D-12
Figure D-11: B. Island Bus Loop Configuration Clockwise Traffic Flow	D-12
Figure D-12: C. Teardrop Bus Loop Configuration Counter Clockwise Traffic Flow	D-12
Figure D-13: D. Bi-Directional Bus Loop Configuration and Traffic Flow	D-12 D-13
Figure D-14: Bus Radii Turning Template	D-13
Figure D-15: Typical Kiss & Ride Configuration.....	D-14
Figure D-16: Designated Parking–Configuration for Two or Less Parking Spots.....	D-16
Figure D-17: Designated Parking–Configuration for Multiple Parking Spots (More than two)	D-16
Figure D-18: Typical Cross Section for Shared Pedestrian/Cyclist Path.....	D-19
Figure D-19: Motorcycle End of Parking Row Configuration	D-19
Figure D-20: Motorcycle Corner/Dead Space Configuration	D-20
Figure D-21: Vehicular Parking Diagram	D-21
Figure D-22: Vehicular Parking Diagram	D-21
Figure D-23: 19: Line Marking–Row Parking Stalls	D-21
Figure D-24: Hatched Parking Area Configuration	D-22
Figure D-25: Line Marking for Islands.....	D-22
Figure D-26: Crosswalks in Parking Lots and Major Crosswalks on Access Routes	D-22
Figure D-27: Line Marking–Pavement Arrows.....	D-22
Figure D-28: Geographical Coordinate Placement.....	D-31 D-30
Figure E-1: Station Building Program–Wayfinding and Customer Journey Points.....	E-0
Figure E-2: Customer Journey Key Activities	E-1

Figure E-3: Station Building Program Areas	E-2
Figure E-4: Rendering of Platform Access Area	E-2
Figure E-5: Rendering of Waiting Area	E-3
Figure E-6: Schematic of Waiting Area	E-3
Figure E-7: Rendering of Service Area	E-4
Figure E-8: Schematic of Service Area	E-4
Figure E-9: Schematic of Public Washrooms	E-5
Figure E-10: Schematic of Retail/Concession	E-6
Figure F-1: Emergency Power Distribution with Generator	F-8F-43
Figure F-2: Emergency Power Distribution without Generator	F-8F-43
Figure F-3: Site Elements Lighting Types	F-31F-66
Figure F-4: Light Fixtures Types	F-31F-66
Figure F-5: Lighting Design Requirements-Bus Loops	F-32F-67
Figure F-6: Lighting Design Requirements-Parking Garage	F-33F-68
Figure F-7: Lighting Design Requirements-Surface Parking	F-34F-69
Figure F-8: Lighting Design Requirements-Station Plaza	F-35F-70
Figure F-9: Lighting Design Requirements-Rail Platform	F-36F-71
Figure F-10: Lighting Design Requirements-Bridges	F-37F-72
Figure F-11: Conceptual Digital Service Module	F-88F-123
Figure F-12: Conceptual Information Module	F-88F-123
Figure F-13: Digital Departure sign in Car Pool Shelter	F-88F-123
Figure F-14: Conceptual Digital Platform – Canopy and Pole mounted modules	F-89F-124
Figure F-15: Conceptual Digital Parking Counter Totem	F-89F-124
Figure F-16: Conceptual Typical Application of Digital Signs at a Rail Line Station	F-89F-124
Figure F-17: Conceptual two-way intercom column support application (At Mini Platform Area)	F-93F-128
Figure F-18: Conceptual two-way intercom free standing application	F-93F-128
Figure F-19: Conceptual window Mullion Application	F-93F-128
Figure F-20: Conceptual Wall mounted Application (Tunnels)	F-94F-129
Figure F-21: Conceptual Interior Elevator Cab Application (Diagram only)	F-94F-129
Figure F-22: Location of Materials & Finishes Application–Floor Plan & Reflected Ceiling Plan	F-103F-138
Figure F-23: Lighting Fixture Reflected Ceiling Plan	F-112F-147

TABLE OF TABLES

Table C-1: GO Logo Station and Building ID	C-5 C-11
Table C-2: Station Entrance Signage	C-6 C-12
Table C-3: Facility ID Signs.....	C-7 C-13
Table D-1: Rail Platform Design Criteria.....	D-4
Table D-2: Tunnel Design Criteria	D-7
Table D-3: Rail Platform Stair Design Requirements	D-9
Table D-4: Parking Stall Requirements.....	D-15
Table D-5: Accessible Parking Space Requirements	D-16
Table D-6: Shared Bike Path Design Requirements	D-19
Table D-7: Slopes	D-20
Table D-8: Line Markings.....	D-20
Table D-9: Line Marking (Parking Structures Only)	D-21
Table D-10: At Grade Pedestrian Crossings.....	D-24
Table E-1: Bus Operational Facility Typology.....	E-11
Table E-2: Exterior Circulation	E-12
Table E-3: Landscaping	E-13
Table E-4: Signage	E-13
Table E-5: Clearance and Circulation	E-13
Table E-6: Structural Elements	E-14
Table E-7: Architectural Elements	E-14
Table E-8: Architectural Finishes	E-16
Table E-9: Fixtures.....	E-17
Table E-10: Specialties	E-18
Table E-11: Life Safety.....	E-19
Table E-12: Safety and Security	E-19
Table E-13: Communications.....	E-21
Table E-14: Mechanical	E-22
Table E-15: Electrical.....	E-24 E-23
Table E-16: Future Expansion	E-26 E-25
Table E-17: CCTV.....	E-26
Table E-18: Automated or Monitored Gates	E-26
Table E-19: Main Gate	E-27
Table E-20: General Office	E-27
Table E-21: Safety and Training Programs.....	E-28

Table E-22: Administration and Services- Operations.....	E-28
Table E-23: Maintenance Facilities- Service Lanes.....	E-29
Table E-24: Maintenance Facilities- Plant Maintenance.....	E-30
Table E-25: Maintenance Facilities- Training Area.....	E-31
Table E-26: Maintenance Facilities- Shop Employee Service Rooms	E-31
Table E-27: Storage Facilities- Bus Storage Garage.....	E-32
Table E-28: Storage Facilities- Stores	E-32
Table E-29: Other–Interior Spaces	E-33
Table E-30: Other–Exterior Spaces	E-33
Table F-1: Utilization Voltages #1	F-0F-35
Table F-2: Utilization Voltages # 2	F-0F-35
Table F-3: Backup Power Systems–Design Requirements.....	F-3F-38
Table F-4: Generators Noise Levels	F-4F-39
Table F-5: Exterior Enclosure	F-6F-41
Table F-6: Room Dimensions	F-26F-61
Table F-7: Illumination Levels	F-40F-75
Table F-8: Interior Lighting Illumination Levels	F-40F-75
Table F-9: Exterior Lighting Illumination Levels.....	F-41F-76
Table F-10: Lighting Levels for Inside a Covered Parking Facility.....	F-41F-76
Table F-11: Interior Lighting Sources and Controls	F-42F-77
Table F-12: Exterior Lighting Sources and Controls.....	F-43F-78
Table F-13: Nameplates.....	F-48F-83
Table F-14: Colour Identification of Wiring.....	F-49F-84
Table F-15: Name/Number Identification of Wiring.....	F-50F-85
Table F-16: Voltage Colour Identification for Line Voltage Equipment.....	F-52F-87
Table F-17: Colour Identification for Low Voltage Systems Equipment	F-53F-88
Table F-18: Destinations ID	F-55F-90
Table F-19: Wall Jack Colour Standards	F-56F-91
Table F-20: Backbone Cables	F-56F-91
Table F-21: CCTV Camera Placement in Parking Garages.....	F-60F-95
Table F-22: CCTV Camera Placement- Station Operations.....	F-61F-96
Table F-23: CCTV Camera Placement in Parking Lots	F-63F-98
Table F-24: CCTV Camera Placement-Rail Operations.....	F-64F-99
Table F-25: CCTV Camera Placement-Bus Operations.....	F-65F-100
Table F-26: CCTV Camera Placement-Miscellaneous.....	F-65F-100
Table F-27: Heating, Ventilation, and Air Conditioning (HVAC)	F-75F-110
Table F-28: Building Automation System (BAS).....	F-78F-113

Table F-29: Fire Protection Design Requirements	F-81F-116
Table F-30: Fixtures and Furnishings	F-83F-118
Table F-31: Floors–Design Requirements	F-98F-133
Table F-32: Walls–Design Requirements	F-99F-134
Table F-33: Doors–Design Requirements	F-100F-135
Table F-34: Windows–Design Requirements	F-101F-136
Table F-35: Skylights–Design Requirements.....	F-101F-136
Table F-36: Foot Grilles–Design Requirements.....	F-101F-136
Table F-37: Specialty Items–Design Requirements	F-102F-137
Table F-38: Toilet Partitions–Design Requirements	F-102F-137
Table F-39: Millwork–Design Requirements	F-102F-137
Table F-40: W1–Wood Grille Ceiling System	F-104F-139
Table F-41: M1–Perforated Metal Concealed Ceiling System W/ Edge Trim	F-104F-139
Table F-42: SS1–Solid Surface	F-105F-140
Table F-43: MS1–Painted Metal Strip.....	F-105F-140
Table F-44: PP1–Porcelain Panel 1.....	F-106F-141
Table F-45: PP2–Porcelain Panel 2.....	F-107F-142
Table F-46: PLAM–Plastic Laminate	F-107F-142
Table F-47: LS–Linoleum Sheet Flooring With Cover Base.....	F-108F-143
Table F-48: CT1–Ceramic Floor Tile	F-108F-143
Table F-49: CT2–Ceramic Floor Tile & Wall Base.....	F-109F-144
Table F-50: CT3–Ceramic Glazed Wall Tile	F-109F-144
Table F-51: PT1 Porcelain Wall Tile	F-110F-145
Table F-52: VCT–Vinyl Composite Tile.....	F-110F-145
Table F-53: CONC.–Concrete with Epoxy	F-111F-145
Table F-54: GYP–Gypsum Board	F-111F-146
Table F-55: Station Building Interior Lighting Fixtures Schedule.....	F-111F-146
Table F-56: Luminaire LE-1	F-113F-146
Table F-57: Luminaire LE-2	F-114F-149
Table F-58: Luminaire LE-3	F-115F-150
Table F-59: Luminaire LE-4	F-116F-151
Table F-60: Luminaire LE-5	F-117F-152
Table F-61: Luminaire LE-6	F-118F-153
Table F-62: Luminaire LE-7	F-119F-154
Table F-63: Luminaire LE-8	F-120F-155
Table F-64: Luminaire LE-9	F-121F-156
Table F-65: Luminaire LE-10	F-121F-156

Table F-66: Luminaire LE-11	F-122 F-157
Table F-67: Luminaire LE-12	F-123 F-158
Table F-68: Luminaire LE-13	F-124 F-159
Table F-69: Luminaire LE-14	F-125 F-160
Table F-70: Luminaire LE-15	F-126 F-160
Table F-71: Tunnels Finishes Schedule	F-127 F-162
Table 0-1: Appendix A–Amendment Record	0G-0
Table 0-1: Appendix B–LEED v.4 Mandatory Credits for GO Stations.....	1 G-0
Table 0-2: Appendix B–LEED v.4 Mandatory Credits for GO Maintenance Facilities.....	3 G-4
Table 0-3: Appendix B–LEED 2009 Mandatory Credits for GO Stations	6
Table 0-4: Appendix B–LEED 2009 Mandatory Credits for GO Maintenance Facilities	8